

Allot Unified Management

Allot Gateway Manager

Centralized Visibility, Control and Security of All Network Traffic

Allot Secure Service Gateway Network Management System (Allot Gateway Manager) gives you a powerful control center for network-wide visibility, security and policy-based management of application performance and user quality of experience.



Benefits


- Complete visibility of all traffic and security events
- Valuable network intelligence on applications, users, web threats, shadow IT, DDoS attacks, bot traffic
- Real-time monitoring and reporting dashboards
- Customizable usage and event analytics dashboards
- Easy drill-down to the most granular traffic and threat data
- Simple policy toolkit for mapping QoS, steering, mitigation, and filtering policies to complex data center and cloud traffic
- Central software configuration and maintenance with automatic propagation to multiple platforms

360° Visibility of Network Traffic

Allot Gateway Manager gives you a bird's eye view of all the traffic on your network and the ability to control it. Reporting dashboards help you understand how LAN, WAN, Internet and data center resources are being utilized by applications, users and connected devices. Powerful policy enforcement helps you leverage that intelligence to assure application performance, quality of experience, and network security according to your business priorities.

Network Analytics to Understand Usage and Behavior


Allot's reporting and analytics dashboards turn your network data into meaningful information for the decision-makers in your organization. Real-time monitoring, usage metrics, QoE and online behavior dashboards help you visualize application, user and endpoint traffic, analyze their impact on network performance, and troubleshoot issues rapidly. Dashboard reports are interrelated and interactive. Drilling down or changing the data fields of one report, instantly updates and refreshes the display of the other reports in the dashboard. It's easy to customize dashboard views, so the data you want is always at your fingertips. To share reports with others in your organization, you can schedule reports for automatic generation and distribution in Excel, HTML and CSV formats.



Real-Time Monitor and Network Metrics Dashboards

Web Threat Management to Protect Your Users

The Web Security interface in Allot Gateway Manager makes it easy to provision and enforce the Internet Security and Acceptable User Policy (AUP) that is right for your organization. User-friendly reports provide detail and summary statistics on all malware blocking events, frequently accessed content, URL filtering events triggered by your AUP, and other relevant statistics that may be presented per IP address, user, group, or other identifier. With Allot, valuable threat-event data stays within your organization, avoiding the security risks that are inherent in cloud-based solutions.



Web Security Dashboard

Central Configuration and Control

DDoS Threat Management to Protect Your Network


Allot Gateway Manager automates DDoS threat protection across your entire network as attack alerts, mitigation reports, and post-attack intelligence help you take control. Real-time alerts notify you when an attack is detected, detailing the type of attack, the attack signature that was created to surgically block attack packets, and the time it took to mitigate the attack. You also get granular and customizable mitigation logs, event analytics, and host infection analytics, as well as trend/distribution reports to support your security planning, threat management and operational decisions. Option for monitoring only with manual mitigation is also available.



LDAP Amplification Attack Pattern

Powerful Policy Control

Allot's Enforcement Policy Editor allows you to define traffic management policies that link network and application performance to business goals and user expectations. An intuitive, hierarchical framework makes it easy to define dynamic QoS enforcement policies that will be triggered automatically as traffic conditions change. Enforcement policy may include any combination of access, priority, bandwidth allocation, shaping, steering, and blocking actions to be applied to application and subscriber traffic. Additionally, rich Command Line Interface (CLI) and Simple Object Access Protocol (SOAP) interfaces allow external systems to provision policies and distribute them to all managed elements.



Enforcement Policy Editor

One-Stop Configuration

Allot Gateway Manager is accessible to multiple concurrent clients and designed to manage widely dispersed network infrastructure. You get:

- Central control of network-wide setup, configuration and health monitoring of Allot SSG platforms
- Ability to scale up and out to manage distributed, multi-site deployment, and to process Gigabytes (GB) of monitoring data from Allot SSG platforms
- Automated propagation of policy updates and alarms to all platforms with on-demand audit log
- Full admin and user identity management and authentication

Allot Gateway Manager

Allot Gateway Manager is available pre-installed on a 1U server appliance, or as software components designed to run on virtual machines: VMWare ESXi (vSphere 5.5 or higher) or KVM (RedHat RHEL 6.7 and above).

Allot Gateway Manager Appliance

Capacity*	
Central Management for:	Up to 2 active Allot Secure Service Gateway appliances, OR 4 appliances in Active-Active, high availability configuration
Number of Employees	Up to 20,000
Data Retention	Real-time: 5-minute data: 12 hours Hourly data: 48 hours Daily data: 31 days Monthly data: 12 months
System Interfaces	
Network Interfaces	4x1Gb (RJ45) + 2x10Gb (SFP+)
Management	iLO (RJ45)
Dimensions	
Appliance form factor	Standard 1U by 19" rack mount
Size (L x W x H)	69.85cm (27.5") x 43.47cm (17.11") x 4.32cm (1.7")
Weight (max)	15.31 kg (33.3 lb)
Power	
Input	100-127 VAC / 200-240 VAC
Number of PSUs	2
PSU Redundancy	1+1
Total Output Power	800W
Heat Dissipation	3207 BTU/hour (maximum)
Operating Environment	
Temperature	10° to 35°C (50° to 95°F) at sea level
Humidity	8% to 90% relative humidity
Altitude	3050 m (10,000 ft)
Regulations and Safety	
FCC Rating	Class A
Safety	EN 60950-1; IEC 60950-1
EMC (Electromagnetic Compliance)	AS/NZS CISPR 22; EN55022; EN55024; FCC CFR 47, Pt 15; ICES-003; CNS13438; GB9254, K22;K24; 61000-3-2; EN 61000-3-3

Allot Gateway Manager Virtual Edition

The virtual edition sizing information shown in the table below supports up to 20,000 users and 2 active Allot Secure Service Gateway platforms (or 4 platforms in Active-Active redundancy mode).

Management Function	vCPU (Intel x86 threads)	RAM (GB)	DISK (GB)	vNICs	Comments
Policy and Configuration (NX)	6	6	300	1 network adapter	
Data Mediation (DM)	12	32	300	1 network adapter	
Network Metrics (CS)	10	32	1400	4 network adapters	Virtual edition sizing supports the same data retention capacity as Allot Gateway Manager appliance. Different data retention policy may require different disk capacity.
User Awareness Interface (SMP)	6	6	250	Per network environment	
Web Security (WSP)	8	12	310	N/A	
DDoS Protection (SPC)	8	16	300	N/A	

* Actual throughput and performance metrics depend on enabled features, policy configuration, traffic mix, and other deployment characteristics.

P/N D240069 rev.2